


## MonoFlex

### Farben



### Härtegrade (Shore)

Rot	(R)	65
Naturfarben	(N)	70
Grün	(G)	75
Braun	(BR)	80
Blau	(B)	85
Weiss	(W)	90
Naturfarben	(N)	95

### Lieferbare Grössen

a	b	Länge
5 mm	20 mm	3660 mm
6 mm	25 mm	
7 mm	30 mm	
8 mm	35 mm	
9 mm	40 mm	
10 mm	50 mm	

## BiFlex / TriFlex

### Farben




### Härtegrade (Shore)

Rot/Weiss	(RW)	65/95
Grün/Weiss	(GW)	75/95
Rot/Weiss/Rot	(RWR)	65/95/65
Grün/Weiss/Grün	(GWG)	75/95/75
Rot/Weiss/Grün	(RWG)	65/95/75

### Lieferbare Grössen


a	b	Länge
5 mm	20 mm	3660 mm
6 mm	25 mm	
7 mm	30 mm	
8 mm	35 mm	
9 mm	40 mm	
10 mm	45 mm	
	50 mm	

### Lieferbare Profile



## CD-Rakel

### Farben




### Härtegrade (Shore)

Rot	(R)	65
Grün	(G)	75
Blau	(B)	85
Rot/Weiß/Rot	(RWR)	65/95/65
Grün/Weiß/Grün	(GWG)	75/95/75


### Lieferbare Größen

a	b	Länge
5 mm	25 mm	125 mm
6 mm	30 mm	130 mm
		135 mm
		140 mm
		145 mm



## Printan Diamond

### Farben




### Härtegrade (Shore)

Rot	(R)	65
Grün	(G)	75
Blau	(B)	85

Andere Shore-Härten auf Anfrage.

### Lieferbare Grössen

a	Länge
9,5 mm ± 0,3 mm	ab 100 mm



Andere Abmessungen auf Anfrage.  
Maximale Fertigungslänge: 1200 mm